

# What do I do?

- **On the telephone**
- **On visits**

*Af Dyrlæge Randi Worm*



# Which animals need treatment?

Sheep – only when infected with *Haemonchus*  
(or “the odd one” yearling with two lambs)

*Haemonchus* – I prefer to treat all animals:


- Sheep with Flukiver – Lambs Cydectin mixtur  
or so
- Sheep with *Haemonchus* problem treated agin  
in the cold season with Flukiver

# When to dose?

- ~~• Dose and move~~
- I ask the farmer for the moving plan for treated animals
- I make sure that the farmer agrees on reinfection of the lambs with small numbers of worms

# Grass management

- How often are they moved?
- How long is the grass where they graze the most?



- Moved at least every 3 weeks before the 1. july
- Moved at least every 2 weeks after the 1. july

What happens when the sheep and lambs are introduced to new grass?



They eat more the first days !

*Sheep and lambs prefer clean grass*

# Weighing the lambs

- Even vets do not guess the right weight



- Weigh the biggest lamb and dose all after this weight (unless there is a big difference - otherwise you can make two groups)



# Control of the drench gun



Right amount?



Is the rubber gasket  
tight?



# See the Video

<https://vimeo.com/134320084>

# Introduction of new animals

*The new ram is often bought and introduced to the flock the same day 😊*



- Quarantine
- Fecal egg counts
- Dose?
- Reinfection with the herd's own worms



Can we find 5 recommendations the vet can give the sheep farmer to make sure the anthelmintica is used as in "best practice" every time anthelmintics are ordered?